


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		A03 CHANGED FOLDED WIDTH FROM 3.56 TO 3.745.	3/9/2011	JAG	
2		A03 INCREASED WIDTH FROM 3.745 TO 3.81 min. TO 3.84 max.	4/12/2011	JAG	
3		A03 INCREASED TOLERANCE ON 3.825 TO ± 0.060 .	6/28/2012	JAG	SE
4	15-0342	A01 CH'D NOTE WAS INK STAMP P/N, IS INK STAMP T/N, CH'D FINISH WAS FORREST T-5920 S9 IS POWDERCOAT YELLOW FED #13538.	10/28/2015	RJC	JAG
5	17-0145	UPDATED TO NEW DRAFTING STANDARD. ADDED INK STAMP T/N SHT 1. - A01 CH'D P/N WAS RB072610-H-A0 IS RB072610-H-A-A01, DELETED INK STAMP T/N NOTE. - A03 CH'D P/N WAS RB072610-H-A03 IS RB072610-H-A-A03. DELETED DIM 3.825 ± 0.060 . ADDED DIM 3.450 ± 0.060 . CH'D MAT'L WAS 1018/1020 IS 1018/1020 CR. - A05 CH'D P/N WAS RB072610-H-A05 IS RB072610-H-A-A05. CH'D MAT'L WAS 1018/1020 IS A514.	6/20/2017	RJC	JAG





NOTE:
USED ON MODEL: EUROCOPTER AS350, AS355 & EC120.

DART AEROSPACE	
TITLE SKID TUBE ATTACHMENT	
DWG NO. RB072610-H-A	REV 5
MAT'L REAT TREAT FINISH	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX \pm .005 FRACTIONS \pm 1/8 .XX \pm .01 ANGLES \pm 5° .X \pm .1 SURFACES = 125°
SPEC	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
DRAWN BY: PERRITT	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
CHECKED: DD 06/22/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
OPPS APPR: AA 06/26/2017	USED ON MODEL
QA APPR: JL 06/28/2017	SEE NOTE
APPROVED: JAG 07/07/2017	
SCALE 1:3	DATE 3/9/2011
SHEET 1 OF 4	

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
	X		-A01	2	WELDMENT			2
	1		-A03		BODY	1018/1020 CR		3
	2		-A05		TAB	A514		4
	ASSY -A01							

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
4	15-0342	A01 CH'D NOTE WAS INK STAMP P/N, IS INK STAMP T/N, CH'D FINISH WAS FORREST T-5920 S9 IS POWDERCOAT YELLOW FED #13538.	10/28/2015	RJC	JAG
5	17-0145	-A01 CH'D P/N WAS RB072610-H-A0 IS RB072610-H-A-A01. DELETED INK STAMP T/N NOTE.	6/20/2017	RJC	JAG





(A01)
WELDMENT

DART AEROSPACE	
TITLE SKID TUBE ATTACHMENT	
DWG NO. RB072610-H-A-A01	REV 5
MAT'L FEAT TREAT FINISH SPEC	POWDER COAT YELLOW FED #13538
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .010 FRACTIONS ± 1/8 .XX ± .03 ANGLES ± 1° .X ± .1 SURFACES = 125°	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
DRAWN BY:	PERRITT
CHECKED:	DD 06/22/2017
OPPS APPR:	AA 06/26/2017
QA APPR:	JL 06/28/2017
APPROVED:	JAG 07/07/2017
SCALE	1:4
DATE	3/9/2011
SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		A03 CHANGED FOLDED WIDTH FROM 3.56 TO 3.745.	3/9/2011	JAG	
2		A03 INCREASED WIDTH FROM 3.745 TO 3.81 min. TO 3.84 max.	4/12/2011	JAG	
3		A03 INCREASED TOLERANCE ON 3.825 TO $\pm .060$.	6/28/2012	JAG	
5	17-0145	-A03 CH'D P/N WAS RB072610-H-A03 IS RB072610-H-A-A03. DELETED DIM 3.825 $\pm .060$. ADDED DIM 3.450 $\pm .060$. CH'D MAT'L WAS 1018/1020 IS 1018/1020 CR.	6/20/2017	RJC	JAG




A03

BODY

DART AEROSPACE			
TITLE GROUND HANDLING WHEELS			
DWG NO. RB072610-H-A-A03			REV 5
MAT'L 1018/1020 CR		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
HEAT TREAT		.XXX $\pm .010$ FRACTIONS $\pm 1/8$	
FINISH SEE -A01		.XX $\pm .03$ ANGLES $\pm 1^\circ$	
SPEC		.X $\pm .1$ SURFACES = 125	
DRAWN BY: PERRITT		1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
CHECKED: DD 06/22/2017		2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
OPPS APPR: AA 06/26/2017		3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009	
QA APPR: JL 06/28/2017		USED ON MODEL	
APPROVED: JAG 07/07/2017		SEE SHT 1 NOTE	
SCALE 1:2	DATE 3/9/2011	SHEET 3 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
5	17-0145	-A05 CH'D P/N WAS RB072610-H-A05 IS RB072610-H-A-A05. CH'D MAT'L WAS 1018/1020 IS A514.	6/20/2017	RJC	JAG



A05

TAB

DART AEROSPACE	
TITLE SKID TUBE ATTACHMENT	
DWG NO. RB072610-H-A-A05	REV 5
MAT'L A514	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES
HEAT TREAT	.XXX \pm .010 FRACTIONS \pm 1/8
FINISH SEE -A01	.XX \pm .03 ANGLES \pm 1°
SPEC	.X \pm .1 SURFACES = 125° ✓
DRAWN BY: PERRITT	1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
CHECKED: DD 06/22/2017	2. DIMENSIONAL LIMITS APPLY AFTER PLATING
OPPS APPR: AA 06/26/2017	3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009
QA APPR: JL 06/28/2017	USED ON MODEL
APPROVED: JAG 07/07/2017	SEE SHT 1 NOTE
SCALE 1:1	DATE 3/9/2011
SHEET 4 OF 4	